

JUNIOR DRAGSTER

CLASS REGULATIONS

Revised 22nd May 2023

Is for children between the ages of eight and eighteen years inclusive, racing half scale dragster, replicas of the sport's fastest cars. The "Dial Your Own" handicap system is used. Junior Dragster are limited to a minimum 1/8 mile ET.

A/JD 13 to 18 years limited to ET no quicker than 7.90 and Top Speed no faster than 89.99mph (144kph)

B/JD 11 to 18 years limited to ET no quicker than 8.50 and Top Speed no faster than 80mph (128kph)

C/JD 8 to 10 years limited to ET no quicker than 11.90 and Top Speed no faster than 60mph (96kph)

All competitors must comply to all Safety and General Regulations

Junior Dragster Licence Required - Medical Required

Membership required for Parent / Legal Guardian if not current IHRA licence holder

IHRA Technical Inspection Required (includes logbook) one logbook per vehicle.

| 28200 | Class Reg | Junior Dragster | Body | Body - style | Dragster | Mandatory |
|-------|-----------|-----------------|-----------------|----------------------------|--|-----------|
| 28210 | Class Reg | Junior Dragster | Body | Body and cowl | Aluminium or fibreglass, Carbon Fibre | Allowed |
| 28220 | Class Reg | Junior Dragster | Body | Body and cowl | Design so that no part of the driver contacts the track surface or any moving part of the car. | Mandatory |
| 28230 | Class Reg | Junior Dragster | Body | Airfoils/wings | Wings | Allowed |
| 28240 | Class Reg | Junior Dragster | Body | Floor | Exists from six inches forward of pedals, to the driver's seat. | Mandatory |
| 28250 | Class Reg | Junior Dragster | Body | Floor | Mounted atop the rail cross braces of the lower frame. | Mandatory |
| 28270 | Class Reg | Junior Dragster | Chassis / Frame | Chassis Roll Cage Material | If Junior Dragster, then uses materials specified in General Regulations | Mandatory |
| 28280 | Class Reg | Junior Dragster | Chassis / Frame | Chassis | If Junior Dragster, then chassis complies to the diagram shown in General Regulations or relevant SFI specification. | Mandatory |
| 28290 | Class Reg | Junior Dragster | Chassis / Frame | Ballast - weight | If removable, then not more than 25 lbs (11.3 kg). | Mandatory |
| 28300 | Class Reg | Junior Dragster | Chassis / Frame | Ballast - location | Any location that is lower than the top of the rear tyres. | Allowed |
| 28310 | Class Reg | Junior Dragster | Chassis / Frame | Brakes | Single or twin disc acting on both rear wheels. | Mandatory |
| 28320 | Class Reg | Junior Dragster | Chassis / Frame | Brakes | If single disc, then diameter of at least 7 inches (178 mm). | Mandatory |
| 28330 | Class Reg | Junior Dragster | Chassis / Frame | Brakes | If twin discs, then diameter of at least 5 inches (127 mm). | Mandatory |
| 28340 | Class Reg | Junior Dragster | Chassis / Frame | Deflector plate - width | Equal to that of the chassis rails from the bottom rail to the shoulder hoop then tapering to the first bend in the roll cage where it is at least 6 inches (150 mm) wide. | Mandatory |

| 28350 | Class Reg | Junior Dragster | Chassis / Frame | Deflector plate | Manufactured from metal at least 1/16 inch (1.6 mm) thick and installed between the driver and the engine. | Mandatory |
|-------|-----------|-----------------|-----------------|-------------------------------------|--|-----------|
| 28360 | Class Reg | Junior Dragster | Chassis / Frame | Deflector plate - height | Runs from lower frame rail to at least as high as the shoulder hoop and continues to the first bend in the roll cage. | Mandatory |
| 28370 | Class Reg | Junior Dragster | Chassis / Frame | Frame - diagonals | At least 3/4 inch (19 mm) round steel tubing. | Mandatory |
| 28380 | Class Reg | Junior Dragster | Chassis / Frame | Frame - upper and lower frame rails | At least 1 1/8inch (28 mm) round steel tubing. | Mandatory |
| 28390 | Class Reg | Junior Dragster | Chassis / Frame | Frame - roll cage | Five point conforming to standard dragster configuration as per diagram shown in General Regulations | Mandatory |
| 28400 | Class Reg | Junior Dragster | Chassis / Frame | Steering - Rod Ends | Shank diameter at least 8 mm (5/16 inch). The use of rod ends using grease nipples, are not suitable for racing applications. | Mandatory |
| 28410 | Class Reg | Junior Dragster | Chassis / Frame | Steering - Shaft | Pin or collar to prevent injury from frontal impact. | Mandatory |
| 28420 | Class Reg | Junior Dragster | Chassis / Frame | Tyres - rear - diameter | Rear Diameter at least 18 inches (458 mm) | Mandatory |
| 28430 | Class Reg | Junior Dragster | Chassis / Frame | Tyres - rear - diameter | Rear Diameter no more than 21 inches (533 mm) | Mandatory |
| 28440 | Class Reg | Junior Dragster | Chassis / Frame | Tyres - rear - width | Rear tyre width at least 8 inches (203 mm) at the widest point. | Mandatory |
| 28450 | Class Reg | Junior Dragster | Chassis / Frame | Frame - uprights | At least 7/8 inch (22 mm) round steel tubing. | Mandatory |
| 28460 | Class Reg | Junior Dragster | Chassis / Frame | Frame - uprights | In the driver's compartment area, are maximum of 20 inches (500 mm) apart. | Mandatory |
| 28470 | Class Reg | Junior Dragster | Chassis / Frame | Wheels - front | Front wheel diameter at least 5 inches (127 mm). | Mandatory |
| 28480 | Class Reg | Junior Dragster | Chassis / Frame | Wheels - rear | Diameter at least 8 inches (203 mm). | Mandatory |
| 28490 | Class Reg | Junior Dragster | Driver / Rider | Arm Restraints | Arm restraints | Mandatory |
| 28500 | Class Reg | Junior Dragster | Driver / Rider | | Aged between 8 and 18 years and correct JD Class Licence held has parent/legal guardian consent. | Mandatory |
| 28510 | Class Reg | Junior Dragster | Driver / Rider | | At time of Licence application, must have Medical Examination. | Mandatory |
| 28520 | Class Reg | Junior Dragster | Driver / Rider | | Upon Driver turning 18 years of age any further competition is forbidden. | Mandatory |
| 28530 | Class Reg | Junior Dragster | Driver / Rider | A/JD | If A/JD, then for drivers between the ages of 13 and 18 years, limited to ET no quicker than 7.90 seconds and Top Speed no faster than 89.99 mph (144kph). | Mandatory |
| 28540 | Class Reg | Junior Dragster | Driver / Rider | B/JD | If B/JD, then for drivers between the ages of 11 and 18 years, limited to ET no quicker than 8.50 seconds and Top Speed no faster than 80 mph (128 kph) | Mandatory |
| 28550 | Class Reg | Junior Dragster | Driver / Rider | C/JD | If C/JD, then for drivers between the ages of 8 and 10 years inclusive, limited to ET no quicker than 11.90 seconds and Top Speed no faster than 60mph (96kph) | Mandatory |
| 28560 | Class Reg | Junior Dragster | Interior | Safety belt / harness | 5-point harness | Mandatory |
| 28570 | Class Reg | Junior Dragster | Driver / Rider | Helmet | Open faced with shield or goggles. | Allowed |
| 28580 | Class Reg | Junior Dragster | Driver / Rider | Helmet | AS/NZS 1698:2006 or AS/NZS 1698. | Forbidden |
| 28590 | Class Reg | Junior Dragster | Driver / Rider | Helmet | Junior competition and SFI 24.1. | Allowed |
| 28600 | Class Reg | Junior Dragster | Driver / Rider | Helmet | https://ihra.com.au/helmets.html | Mandatory |

| | | | | | - | |
|-------|-----------|-----------------|----------------|------------------------------------|--|-----------|
| 28605 | Class Reg | Junior Dragster | Driver / Rider | Frontal Head restraint | All Junior Dragster categories A/JD, B/JD and C/D competitors, commencing January 1st 2020 will be required to wear a head and neck restraint/system meeting SFI 38.1. The device/system must be commercially produced by a manufacturer in the SFI 38.1 head and neck restraint program. The head and neck restraint device/system, when connected, must conform to the manufacturer's mounting instructions, and it must be configured, maintained, and used in accordance with the manufacturer's instructions. | Mandatory |
| 28610 | Class Reg | Junior Dragster | Driver / Rider | Neck collar | A head and neck restraint device/system may be used with or without a neck collar. If the device/system is used without a neck collar, a head sock/balaclava or skirted helmet. | Mandatory |
| 28620 | Class Reg | Junior Dragster | Driver / Rider | Protective clothing | Fire resistant clothing and footwear. | Mandatory |
| 28630 | Class Reg | Junior Dragster | Driver / Rider | Protective clothing - driving suit | Driving suit at least SFI 3.2A/1 or FIA 8856. | Mandatory |
| 28640 | Class Reg | Junior Dragster | Driver / Rider | Protective clothing | Fire resistant shoes, socks and gloves | Mandatory |
| 28650 | Class Reg | Junior Dragster | Drivetrain | Driveline | Belt drive or chain. | Mandatory |
| 28660 | Class Reg | Junior Dragster | Drivetrain | Driveline | Torque converter belt assembly. | Allowed |
| 28670 | Class Reg | Junior Dragster | Drivetrain | Chain/belt guard | At least as wide as the chain or belt and covers the top of the chain or belt. | Mandatory |
| 28680 | Class Reg | Junior Dragster | Drivetrain | Chain/belt guard | Covers top of chain and belt runs. | Mandatory |
| 28690 | Class Reg | Junior Dragster | Drivetrain | Chain/belt guard | Metal and at least 1/8 inch (3.0 mm) thick. | Mandatory |
| 28700 | Class Reg | Junior Dragster | Drivetrain | Driveline - clutch | Dry, centrifugal type. | Mandatory |
| 28710 | Class Reg | Junior Dragster | Drivetrain | Transmission | Gear type transmission. | Forbidden |
| 28720 | Class Reg | Junior Dragster | Electrical | Delay device | Any | Forbidden |
| 28730 | Class Reg | Junior Dragster | Engine | Engine | Accepted by IHRA or NHRA and 4-stroke, single cylinder, side valve. All requests for the use of a different engine configuration must be approved by IHRA Australia. | Mandatory |
| 28735 | Class Reg | Junior Dragster | Engine | Engine | OHC style engine acceptable for use in C/JD only | Allowed |
| 28740 | Class Reg | Junior Dragster | Engine | Engine - location | Crankshaft centreline maximum 17 inches (432 mm) above ground, measured when tyres are inflated normally. | Mandatory |
| 28750 | Class Reg | Junior Dragster | Engine | Engine - location | Forward of centreline for rear axle. | Mandatory |
| 28760 | Class Reg | Junior Dragster | Engine | Engine - modifications | Modifications any. | Allowed |
| 28770 | Class Reg | Junior Dragster | Engine | Induction | All EFI fuel lines (including gauge and/or data recorder lines) must be metallic, steel-braided, or IHRA-accepted woven or woven-pushlock. | Mandatory |
| 28780 | Class Reg | Junior Dragster | Engine | Silencers/mufflers | Silencer or Muffler optional | Allowed |
| 28790 | Class Reg | Junior Dragster | Engine | Silencers/mufflers | Muffler optional | Allowed |
| 28810 | Class Reg | Junior Dragster | Engine | Fuel Grade | Petrol, ethanol or methanol | Mandatory |

| 28820 | Class Reg | Junior Dragster | Engine | Induction | Fuel injection permitted. Electronic fuel injection must be a "closed" system (ie, monitors only engine functions and does not monitor vehicle speed, wheel speed). Pressurized fuel system permitted. Maximum capacity of fuel tank or cell, 3 gallons. Fuel tank / cell must be equipped with a screw-on or positive locking cap. All vents must be routed downwards and away from driver. Open holes in fuel tank/cell prohibited. | Allowed |
|-------|-----------|-----------------|---------------|---------------------------------|--|-----------|
| 28830 | Class Reg | Junior Dragster | Engine | Induction | Supercharging. | Forbidden |
| 28840 | Class Reg | Junior Dragster | Engine | Throttle | Electronics, pneumatics, hydraulics or any other device activates or affects throttle operation. | Forbidden |
| 28850 | Class Reg | Junior Dragster | Interior | Seat | Seat is correctly supported and braced. | Mandatory |
| 28860 | Class Reg | Junior Dragster | Interior | Seat | Seat is aluminium or fibreglass. | Mandatory |
| 28870 | Class Reg | Junior Dragster | Interior | Upholstery | Loose objects between the driver and the race seat are forbidden. Note - Objects such as pillows,loose foam etc. may not be used to raise the driver for better vision out of the cockpit. | Mandatory |
| 28880 | Class Reg | Junior Dragster | Support Group | Crew Member | If Junior Dragster and aged between 8 and 16 years, then supervised by an adult crew member | Mandatory |
| 28890 | Class Reg | Junior Dragster | Support Group | Crew Member | If parent/legal guardian, then IHRA (Aust) Member or Associate Member. | Mandatory |
| 28900 | Class Reg | Junior Dragster | Vehicle | Controls - earthing device | Driver able to operate. | Mandatory |
| 28910 | Class Reg | Junior Dragster | Vehicle | Controls - earthing device | Via mechanical, high-tension earthing device. | Mandatory |
| 28920 | Class Reg | Junior Dragster | Vehicle | Controls - ignition kill switch | At the top of the deflector plate, between the driver and the engine, there is a second switch to switch off ignition. | Mandatory |
| 28930 | Class Reg | Junior Dragster | Vehicle | Controls - ignition shut off | Positive and able to be reached by driver. | Mandatory |
| 28940 | Class Reg | Junior Dragster | Vehicle | Controls | Throttle and brake, operated by foot. Positive throttle return spring in use. | Mandatory |
| 28950 | Class Reg | Junior Dragster | Vehicle | Minimum weight | 225 lbs (102 kg) not including driver and apparel | Mandatory |
| 28960 | Class Reg | Junior Dragster | Vehicle | Wheelbase | At least 90 inches (2286 mm). | Mandatory |
| 28970 | Class Reg | Junior Dragster | Vehicle | Wheelbase | No more than 150 inches (3810 mm). | Mandatory |
| 28980 | Class Reg | Junior Dragster | | Racing Procedure | Competitors between the ages of 8 and 18 inclusive, racing half scale dragsters. | Mandatory |
| 28990 | Class Reg | Junior Dragster | | Racing Procedure - Start | Full tree - dial your own index | Mandatory |
| 28995 | Class Reg | Junior Dragster | Vehicle | Racing Procedure - Pushback | Once the competitor has completely gone through / past the water box, the crew may only push the vehicle back once before moving forward to go into stage. If this rule is breached in qualifying your run will not count, if racing then disqualification. Example: Burnout/dryhop then 1 pushback, then dry hop then move forward into stage. | Mandatory |
| 29000 | Class Reg | Junior Dragster | | | If A/JD, and during qualifying, then ET quicker than 7.90 seconds but no quicker than 7.80 seconds permitted, and then only once per event. | Mandatory |
| 29001 | Class Reg | Junior Dragster | | Racing Procedure | If A/JD, and during racing, then ET quicker than 7.90 seconds will be disqualified. | Mandatory |
| 29005 | Class Reg | Junior Dragster | | Racing Procedure | All junior competition to be completed by 10.00pm | Mandatory |
| 29010 | Class Reg | Junior Dragster | | Racing Procedure | Race distance 1/8 Mile. | Mandatory |
| 29020 | Class Reg | Junior Dragster | | | If B/JD, and during qualifying, then ET quicker than 8.50 seconds but no quicker than 8.40 seconds permitted, and then only once per event. | Mandatory |

| 29021 | Class Reg | Junior Dragster | Racing Procedure | If B/JD, and during racing, then ET quicker than 8.50 seconds will be disqualified. | Mandatory |
|-------|-----------|-----------------|------------------|---|-----------|
| 29030 | Class Reg | Junior Dragster | | If C/JD, and during qualifying, then ET quicker than 11.90 seconds but no quicker than 11.80 seconds permitted, and then only once per event. | Mandatory |
| 29031 | Class Reg | Junior Dragster | Racing Procedure | If C/JD, and during racing, then ET quicker than 11.90 seconds will be disqualified. | Mandatory |
| 29040 | Class Reg | Junior Dragster | | Only qualifying times not quicker than 8.00 seconds fpr A/JD, 8.60 for B/JD, and 12.00 for C/JD, are valid for the purpose of seeding. | Mandatory |
| 29041 | Class Reg | Junior Dragster | | For Championship Events, top qualifier will be the competitor that achieves a time closest to their qualifying class limit (without breaking out) this qualifying method will continue throughout the field. E.g. C/JD running a 12.01 second pass will qualify above an A/JD running 8.02 pass. | Mandatory |
| 29042 | Class Reg | Junior Dragster | | If A/JD then qualifying class limits is 8.00 seconds ET. | Mandatory |
| 29043 | Class Reg | Junior Dragster | | If B/JD then qualifying class limits is 8.60 seconds ET. | Mandatory |
| 29044 | Class Reg | Junior Dragster | | If C/JD then qualifying class limits is 12.00 seconds ET. | Mandatory |
| 29045 | Class Reg | Junior Dragster | | Lane choice will now be determined by qualifying position in the 1st round, then in rounds after that by the competitor who ran closest to their dial-in during the previous round of racing, without breaking out. In the case where both competitors have broken out, lane choice will be awarded to the competitor who broke out by the smallest margin. | Mandatory |
| 29050 | Class Reg | Junior Dragster | | If parent/legal guardian fails to withdraw their racer from event due to exceeding ET cut-off limits, then racer is suspended for 2 meetings and parent/guardian fined \$1,000. After the event is completed, all run sheets will be checked and any team found to have breached this rule will be notified, and the racer will be removed from the racing results with a fine implemented. | Mandatory |
| 29060 | Class Reg | Junior Dragster | | If cut-off limits exceeded, then racing points are forfeited. | Mandatory |
| 29065 | Class Reg | Junior Dragster | Racing Procedure | All C/JD drivers stepping up to B/JD, must complete 2 x 330ft runs to the satisfactiona of an IHRA Steward and recorded on the Junior Dragster evaluation form. Must complete 4 x 660ft (Full passes) between 8.50 and 11.90 to the satisfaction of the IHRA Steward and recorded on the Junior Dragster evaluation form. All runs must be solo. | Mandatory |
| 29070 | Class Reg | Junior Dragster | | All B/JD Drivers stepping up to A/JD, must complete 6 runs between 7.90 and 8.50 to the satisfaction of an IHRA Steward and recorded on Licence. Runs may be completed at separate events. All runs must be solo passes. | Mandatory |
| 29071 | Class Reg | Junior Dragster | | If new driver licencing for A/JD Driver must be between 13 and 18 years of age and must complete 6 runs between 8.50 and 8.90 to the satisfaction of an IHRA Steward, to be recorded on race licence, may be conducted over series of events. After Initial sign off competitor must complete 6 runs between 7.90 and 8.50 to the satisfaction of an IHRA Steward before competing in competition. All runs to be solo passes. | Mandatory |

| 29075 | Class Reg | Junior Dragster | Racing Procedure | All New Drivers A/JD-B/JD - C/JD once completed JDDP (Junior Dragster Driving Program) will undertake the following: 1. Track Orientation / Track Walk / Tow along Pass 2. Blindfold Test / Brake and shutdown procedure 3. 1x 60ft (stop) 4. 1 x 330ft (stop) 5. 4 x 660ft passes ET to be set by IHRA Steward and IHRA Rules 6. Each pass will require driver to come to a complete stop before exiting the racing surface. All passes must meet the satisfaction of an IHRA Steward and be recorded. | Mandatory |
|-------|-----------|-----------------|------------------|--|-------------|
| 29080 | Class Reg | Junior Dragster | | Event run sheets checked after meeting to ensure compliance with ET cut-off limits. | Mandatory |
| 29090 | Class Reg | Junior Dragster | | Paired runs with vehicles from any other racing bracket. | Forbidden |
| 29100 | Class Reg | Junior Dragster | | Junior Dragster is for drivers between the ages of 8 and 18 inclusive. They race half scale dragsters under a dial your own handicap system running over 1/8 mile. | Information |
| 29110 | Class Reg | Junior Dragster | _ | Bracket Designation /JD | Mandatory |